Hideaway™ HSA 222 Series

Compact, Fixed Configuration, Tilt-Up HSA - Hideaway Surface Access Enclosures

COMMON FEATURES

- Easy access to connectors
- Durable pneumatic movement and mechanical latching mechanism
- Compact size with circular or square bezel
- Two CAT 6 RJ-45 network/data/phone connectors; two unswitched AC outlets
- Two unswitched AC outlets
- Top surface available in variety of finishes
- Special order brushed brass & polished aluminum finishes available in 8-10 weeks
- Includes RJ-45 connection kit
- UL/CUL listed and CE compliant
- Installation routing template available upon request at no charge



DESCRIPTION

The **Hideaway™ HSA 222C** and **HSA 222S** are rugged metal enclosures specifically designed to provide easy tabletop access to data and power connections. Both models in the HSA 222 Series offer fixed configurations of two CAT 6 RJ-45 network/data/phone connectors, and two unswitched AC outlets.

Both models also include an RJ-45 connection kit for each front panel RJ-45 jack. Inside the kit, there is one set of icons for labeling, one blank hole filler, and an assortment of colored bezels. These enable the labeling and color-coding of each RJ-45 connector according to its assigned function, or covering the connector when it is not needed.

To access the connectors, users press down on the top of the enclosure, releasing a mechanical latch. The HSA pivots open, presenting the connectors at an ergonomic 49° angle to the tabletop.

The HSA 222C features a circular bezel which can be installed using a standard 6-inch hole saw, while the HSA 222S features a square bezel that can be easily installed utilizing a routing template available at no charge from Extron and a router. Once installed, the HSA 222C and HSA 222S fit nearly flush with the tabletop, storing power and network connectors out of sight.

The Hideaway HSA 222 Series enclosures ship standard in either black anodized or brushed aluminum finish. Polished aluminum and brushed brass models are also available. These models are built to order and require a longer lead time.

Each model in the HSA 222 Series features two unswitched AC outlets, and is available with US, UK, Central Europe, Australia, Switzerland, France, Israel, or India power outlets.

Continued →

USA
714.491.1500 / 800.633.9876
714.491.1517 FAX

Europe
+31.33.453.4040 / +800.3987.6673
+31.33.453.4050 FAX

Asia
+65.6383.4400 / +800.7339.8766
+65.6383.4664 FAX

Japan
+81.3.3511.7655
+81.3.3511.7656 FAX

www.extron.com

© 2006 Extron Electronics. All rights reserved.
Pricing and specifications may change without notice.

Extron®

Hideaway™ HSA 222 Series

HSA 222C

Compact, Fixed Configuration, Tilt-Up HSA - Hideaway™ Surface Access Enclosures

UNIQUE FEATURES

- Circular bezel
- Available with unswitched US AC power outlets

Closed view

MODEL	VERSION DESCRIPTION	PART #
HSA 222C	Black	60-631-01
HSA 222C	Brushed Aluminum	60-631-03

HSA 222S

Compact, Fixed Configuration, Tilt-Up HSA - Hideaway™ Surface Access Enclosures with Square Bezel

UNIQUE FEATURES

- Square bezel
- International models available

Closed view

MODEL	VERSION DESCRIPTION	PART #
HSA 222S	US – Black	60-630-01
HSA 222S	US – Brushed Aluminum	60-630-03
HSA 222S	UK – Black	60-701-0B
HSA 222S	UK – Brushed Aluminum	60-701-1B
HSA 222S	ISRAEL – Black	60-701-0C
HSA 222S	ISRAEL – Brushed Aluminum	60-701-1C
HSA 222S	EU – Black	60-701-0D
HSA 222S	EU – Brushed Aluminum	60-701-1D
HSA 222S	FRANCE – Black	60-701-0E
HSA 222S	FRANCE – Brushed Aluminum	60-701-1E
HSA 222S	AUS – Black	60-701-0F
HSA 222S	AUS – Brushed Aluminum	60-701-1F
HSA 222S	INDIA – Black	60-701-0G
HSA 222S	INDIA – Brushed Aluminum	60-701-1G
HSA 222S	SWISS – Black	60-701-0H
HSA 222S	SWISS – Brushed Aluminum	60-701-1H

AC OUTLET OPTIONS

US

UK

Israel

Central Europe

France

Australia

India

Switzerland

Continued →

Extron®

USA
714.491.1500 / 800.633.9876
714.491.1517 FAX

Europe
+31.33.453.4040 / +800.3987.6673
+31.33.453.4050 FAX

Asia
+65.6383.4400 / +800.7339.8766
+65.6383.4664 FAX

Japan
+81.3.3511.7655
+81.3.3511.7656 FAX

www.extron.com

© 2006 Extron Electronics. All rights reserved.
Pricing and specifications may change without notice.

Hideaway™ HSA 222 Series

Hideaway™ HSA 222 Series Accessories

ROUTING TEMPLATES	MODEL DESCRIPTION	PAGE	PART #
HSA 200/222 and Cable Cubby 300S/300C Routing Template	HSA 200/222 US Routing Template	n/a	70-237-01
HSA 200/222 Routing Template	HSA 200/222 International Routing Template	n/a	70-237-02

SPECIFICATIONS

GENERAL

Rack mount ..... No, but furniture mountable
Enclosure type ..... Metal
Enclosure dimensions

CAUTION: Use the appropriate metal Extron routing template or refer to the surface cutout dimensions here before cutting a hole in the furniture or other surface. Pay special attention to the direction the unit will face; the unit's connector access side is underlined. Extron is not responsible for miscut mounting holes.

HSA 222C – USA model
Top plate (outer rim) ..... 6.500" diameter (16.51 cm diameter) circle
Surface cutout (inside rim) ..... 6.000 ±0.0325" diameter (15.24 ±0.083 cm diameter) circle
Top plate (inside tilt plate) ..... 4.660" W x 2.875" D (11.84 cm W x 7.30 cm D)
Box (under surface) ..... 5.6" H x 5.3" W (front of unit) x 3.6" D
(14.2 cm H x 13.5 cm W x 9.1 cm D) without clamps
5.6" H x 8.6" W (front of unit) x 3.6" D
(14.2 cm H x 21.8 cm W x 9.1 cm D) with clamps

HSA 222S – USA model
Top plate (outer rim) ..... 6.470" W x 5.125" D (16.43 cm W x 13.02 cm D)
Surface cutout (inside rim) ..... 5.970 ±0.0325" W x 4.625 ±0.0325" D
(15.16 ±0.083 cm W x 11.75 ±0.083 cm D)
Top plate (inside tilt plate) ..... 4.660" W x 2.875" D (11.84 cm W x 7.30 cm D)
Box (under surface) ..... 5.6" H x 5.3" W (front of unit) x 3.6" D
(14.2 cm H x 13.5 cm W x 9.1 cm D) without clamps
5.6" H x 8.6" W (front of unit) x 3.6" D
(14.2 cm H x 21.8 cm W x 9.1 cm D) with clamps

HSA 222S – International models
Top plate (outer rim) ..... 8.183" W x 6.375" D (20.78 cm W x 16.19 cm D)
Surface cutout (inside rim) ..... 7.683 ±0.0325" W x 5.875 ±0.0325" D
(19.51 ±0.083 cm W x 14.92 ±0.083 cm D)
Top plate (inside tilt plate) ..... 6.183" W x 3.75" D (15.70 cm W x 9.53 cm D)
Box (under surface) ..... 4.5" H x 6.6" W (front of unit) x 4.9" D
(11.4 cm H x 16.8 cm W x 12.4 cm D) without clamps
4.5" H x 10.3" W (front of unit) x 4.9" D
(11.4 cm H x 26.2 cm W x 12.4 cm D) with clamps

Product weight
HSA 222S, HSA 222C ..... 3.5 lbs (1.6 kg)
Shipping weight
HSA 222S, HSA 222C ..... 7 lbs (4 kg)
Vibration ..... ISTA 1A in carton (International Safe Transit Association)
Listings, certification ..... UL, CUL, CSA C/US
MTBF ..... 30,000 hours
Warranty ..... 3 years parts and labor

NOTE: All nominal levels are at ±10%. Specifications are subject to change without notice.

USA
714.491.1500 / 800.633.9876
714.491.1517 FAX

Europe
+31.33.453.4040 / +800.3987.6673
+31.33.453.4050 FAX

Asia
+65.6383.4400 / +800.7339.8766
+65.6383.4664 FAX

Japan
+81.3.3511.7655
+81.3.3511.7656 FAX

www.extron.com
© 2006 Extron Electronics. All rights reserved.
Pricing and specifications may change without notice.